Datasheet



BBM4

Term Tech Pre-Insulated Terminals Blue Male Bullet 1.5mm²-2.5mm² Cable 4mm BulletØ (Bag of 100)



The Termination Technology range of pre-insulated terminals are colour coded to cover $0.5 \, \text{mm}^2$ up to $6 \, \text{mm}^2$ cable sizes and includes a wide variety of types from rings, forks, pins, blades and more. Manufactured from oxygen-free high conductivity copper which is electro-tin plated for excellent resistance to corrosion. PVC insulation with a maximum working temperature of $75 \, ^{\circ}\text{C}$. All supplied in display counter packs of 100.



The company with the RIGHT connections at the RIGHT price.

ping data first





W: www.termtech.co.uk
T: 01179 354 900
E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road, Bristol BS5 7UW

Datasheet



Technical Data

Colour and Material

Material Copper

Insulation Material PVC

Plating Material Electro-Tin Plating

Application Type, Size and Range

Cable Size Range (mm²) 1.5-2.5

Suitable Cable Type Copper Cores

Dimensions

Bullet Diameter (mm) 4

Physical Attributes

Expansion Ratio Roughly 2:1

Product Specification

Specific Approvals UL Certified

UKCA Approved Yes

Temperature and Fire Information

Max Operating Temperature (°C) 75



The company with the RIGHT connections at the RIGHT price.

Company Registration Number: 05062297







W: www.termtech.co.uk T: 01179 354 900 E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road, Bristol BS5 7UW

Datasheet



UA



The company with the RIGHT connections at the RIGHT price.

pin putting data first





W: www.termtech.co.uk T: 01179 354 900

Bristol BS5 7UW

E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,