



## BFP48

**Term Tech Pre-Insulated Terminals Blue  
Female Push On 1.5mm<sup>2</sup>-2.5mm<sup>2</sup> Cable Part  
Insulated 4.8mm Wide Receptacle 0.5mm Tab  
Thickness (Bag of 100)**



The Termination Technology range of pre-insulated terminals are colour coded to cover 0.5mm<sup>2</sup> up to 6mm<sup>2</sup> cable sizes and includes a wide variety of types from rings, forks, pins, blades and more. Manufactured from oxygen-free high conductivity copper which is electro-tin plated for excellent resistance to corrosion. PVC insulation with a maximum working temperature of 75°C. All supplied in display counter packs of 100.



**Termination  
Technology Ltd**

*Quality and Service*

The company with the RIGHT connections at the RIGHT price.

Company Registration Number: 05062297

**W:** [www.termtech.co.uk](http://www.termtech.co.uk)

**T:** 01179 354 900

**E:** [sales@termtech.co.uk](mailto:sales@termtech.co.uk)

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,  
Bristol BS5 7UW





## Technical Data

### Colour and Material

Material	Copper
Insulation Material	PVC
Insulation Style	Part Insulated
Plating Material	Electro-Tin Plating

### Application Type, Size and Range

Cable Size Range (mm <sup>2</sup> )	1.5-2.5
Suitable Cable Type	Copper Cores

### Dimensions


Recepticle Width (mm)	4.8
Tab Thickness (mm)	0.5


### Product Specification

Specific Approvals	UL Certified
UKCA Approved	Yes


### Temperature and Fire Information

Max Operating Temperature (°C)	75
--------------------------------	----





# UK CA



**Termination  
Technology Ltd**

*Quality and Service*

The company with the **RIGHT** connections at the **RIGHT** price.

Company Registration Number: 05062297

**W:** [www.termtech.co.uk](http://www.termtech.co.uk)

**T:** 01179 354 900

**E:** [sales@termtech.co.uk](mailto:sales@termtech.co.uk)

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,  
Bristol BS5 7UW

