# **Datasheet**



#### BUR53

Term Tech Un-Insulated Terminals Ring 1.5mm<sup>2</sup>-2.5mm<sup>2</sup> Cable 5.3mm Hole (Bag of 100)



The Termination Technology range of uninsulated terminals are manufactured from copper sheet, allowing for larger hole size to conductor size comparatively. Perfect for use in higher temperature applications where insulated terminals would not be suitable. Standard terminals are tin plated, suitable up to +75°C. High temperature versions are Nickel plated, suitable up to +250°C.



The company with the RIGHT connections at the RIGHT price.

**pim** 





W: www.termtech.co.uk T: 01179 354 900 E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road, Bristol BS5 7UW

## **Datasheet**



### **Technical Data**

#### **Colour and Material**

Material Copper

Plating Material Tin

**Application Type, Size and Range** 

Cable Size Range (mm<sup>2</sup>) 1.5 - 2.5

Number of Cables Accepted

Suitable Cable Type Copper Cores

**Dimensions** 

Ring Size (mm) 5.3

**Product Specification** 

Specification BS EN 61238-1 2003 & IEC 61238-2003

**Quantities and Packaging** 

Packaging Euroslot trade counter pack

Product Count 100

**Temperature and Fire Information** 

Max Operating Temperature (°C) 75



The company with the RIGHT connections at the RIGHT price.

Company Registration Number: 05062297







W: www.termtech.co.uk T: 01179 354 900 E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road, Bristol BS5 7UW