Datasheet



BW20SPK-LSF

Term Tech Indoor Armoured Brass Gland Pack 11.4mm-15.5mmØ Range Includes Accessories M20 LSF (Pack of 2)



The Termination Technology range of BW LSF 2 Part brass cable glands suitable for steel wire armour (SWA) cable. Suitable for indoor application, all packs supplied complete with glands, LSF shrouds, Galv locknuts and brass earth tags. Smaller sizes up to and including BW32PK are supplied in packs of 2, BW40PK and above are supplied in packs of 1. CW LSF gland packs are also available as well as non-LSF in both ranges



T: 01179 354 900 E: sales@termtech.co.uk

W: www.termtech.co.uk

The company with the RIGHT connections at the RIGHT price.

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road, Bristol BS5 7UW







Datasheet



Technical Data

Colour and Material

Material Brass (IS319)

Application Type, Size and Range

Cable Ø Range (mm) 11.4-15.5

Environmental Application Indoor

IP54 IP Rating

Suitable Cable Type **SWA**

Dimensions

Dimension A (mm) 11.4 Max

Dimension B (mm) 15.5 Max

Dimension C (mm) 22.9

Dimension D (mm) 10

Dimension E (mm) 16

Dimension F (mm) 20.5

Dimension N (mm) 20 x 1.5

Dimension T (mm) 0.9-1.25

Product Specification

Specification BS6121:2005

UKCA Approved Yes

Temperature and Fire Information

LSF Yes



W: www.termtech.co.uk T: 01179 354 900 E: sales@termtech.co.uk

Company Registration Number: 05062297

The company with the RIGHT connections at the RIGHT price.









Datasheet



UK CA







The company with the RIGHT connections at the RIGHT price.

pin





W: www.termtech.co.uk T: 01179 354 900

E: sales@termtech.co.uk