



BW32PK-LSF

Term Tech Indoor Armoured Brass Gland Pack 26.6mm-32.2mmØ Range Includes Accessories M32 LSF (Pack of 2)



The Termination Technology range of BW LSF 2 Part brass cable glands suitable for steel wire armour (SWA) cable. Suitable for indoor application, all packs supplied complete with glands, LSF shrouds, Galv locknuts and brass earth tags. Smaller sizes up to and including BW32PK are supplied in packs of 2, BW40PK and above are supplied in packs of 1. CW LSF gland packs are also available as well as non-LSF in both ranges



**Termination
Technology Ltd**

Quality and Service

The company with the **RIGHT** connections at the **RIGHT** price.

Company Registration Number: 05062297

W: www.termtech.co.uk

T: 01179 354 900

E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,
Bristol BS5 7UW





Technical Data

Colour and Material

Material	Brass (IS319)
----------	---------------

Application Type, Size and Range

Cable Ø Range (mm)	26.6-32.2
Environmental Application	Indoor
IP Rating	IP54
Suitable Cable Type	SWA

Dimensions

Dimension A (mm)	26.6 Max
Dimension B (mm)	32.2 Max
Dimension C (mm)	42.2
Dimension D (mm)	10
Dimension E (mm)	20
Dimension F (mm)	38
Dimension N (mm)	32 x 1.5
Dimension T (mm)	1.6-2

Product Specification

Specification	BS6121:2005
UKCA Approved	Yes



Temperature and Fire Information

LSF	Yes
-----	-----





UK CA



**Termination
Technology Ltd**

Quality and Service

The company with the **RIGHT** connections at the **RIGHT** price.

Company Registration Number: 05062297

W: www.termtech.co.uk

T: 01179 354 900

E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,
Bristol BS5 7UW

