



EIFW25PK

Term Tech Flameproof Outdoor Armoured Brass Gland Pack ATEX 20.3mm-27.2mmØ Range Includes Accessories M25 (Pack of 2)



The Termination Technology range of EIFW ATEX rated brass glands are suitable for indoor and outdoor applications with SWA armoured cables. All packs supplied complete with glands, shrouds, brass locknuts and brass earth tags. Smaller sizes up to and including EIFW32PK are supplied in packs of 2, EIFW40PK and above are supplied in packs of 1. EIFX gland packs also available to cover armoured and braided cables such as SY, CY and YY.



**Termination
Technology Ltd**

Quality and Service

The company with the **RIGHT** connections at the **RIGHT** price.

Company Registration Number: 05062297

W: www.termtech.co.uk

T: 01179 354 900

E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,
Bristol BS5 7UW





Technical Data

Colour and Material

Material	Brass
Seal Material	Polyamide/PTEF

Application Type, Size and Range

Cable Ø Range (mm)	20.3 - 27.2
Environmental Application	ZONE1, ZONE2, ZONE 21, ZONE 22
IP Rating	IP67
Suitable Cable Type	SWA, SY, YY

Dimensions


Dimension A (mm)	13 - 19.5
Dimension B (mm)	20.3 - 27.2
Dimension D (mm)	16.5
Dimension E (mm)	91
Dimension N (mm)	25 x 1.5
Dimension T (mm)	1.25/1.6
Gland Body Hex Details A/C (mm)	42.2
Gland Body Hex Details A/F (mm)	38
Nut Hex Details A/C (mm)	45.5
Nut Hex Details A/F (mm)	41
Thread Size	M25

Kit Details

Kit Contents	Glands, Shrouds, Locknuts, Earth Tags, Washers, Seals
--------------	---

Product Specification

Specification	EN 60079-0:2009, EN 60079-1:2007, EN 60079-7-:2007, IEC 60079-0:2011
Specific Approvals	IEC 60529





Quantities and Packaging

Packaging	Plastic pack with Euroslot
Product Count	Pack of 2

Temperature and Fire Information

Continuous Operating Temperature (°C)	-20 to +100
---------------------------------------	-------------

