



## EL02/3-BW-0

**Term Tech EL02/3 Chevron Marker 0.2-  
1.5mm<sup>2</sup> Cable Black Text on White  
Background Number: 0 (Reel of 500)**



The Termination Technology EL range of markers are available to cover a range of cable sizes. Applied to cables prior to termination to mark/identify each core. Supplied on a dispensable reel, they are chevron cut to create a readable character alignment. To install, use the suitable Applicator Needle to slide the marker over the end of the cable. Available as a full range of 0-9 and A-Z alongside various symbols and as part of a marker kit.



**Termination  
Technology Ltd**

*Quality and Service*

The company with the **RIGHT** connections at the **RIGHT** price.

Company Registration Number: 05062297


**W:** [www.termtech.co.uk](http://www.termtech.co.uk)

**T:** 01179 354 900

**E:** [sales@termtech.co.uk](mailto:sales@termtech.co.uk)

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,  
Bristol BS5 7UW





## Technical Data

### Colour and Material

|          |                          |
|----------|--------------------------|
| Material | Polyvinyl Chloride (PVC) |
| Colour   | White                    |

### Application Type, Size and Range

|                                     |         |
|-------------------------------------|---------|
| Cable Ø Range (mm)                  | 1-3     |
| Cable Size Range (mm <sup>2</sup> ) | 0.2-1.5 |

### Dimensions

|                     |     |
|---------------------|-----|
| Marker Height (mm)  | 3.5 |
| Marker Length (mm)  | 3   |
| Marker Width (mm)   | 3.5 |
| Product Height (mm) | 11  |
| Product Length (mm) | 146 |
| Product Width (mm)  | 146 |

### Physical Attributes

|                        |            |
|------------------------|------------|
| Tensile Strength (Mpa) | 20         |
| Style                  | Slide Over |

### Product Text

|              |          |
|--------------|----------|
| Printed Text | Number 0 |
| Text Colour  | Black    |

### Quantities and Packaging

|               |              |
|---------------|--------------|
| Packaging     | Casstte Reel |
| Product Count | 250          |

### Temperature and Fire Information



|                                       |            |
|---------------------------------------|------------|
| Continuous Operating Temperature (°C) | -20 to +90 |
|---------------------------------------|------------|





Flammability Testing

UL94 V0 Flame Resistance



**Termination  
Technology Ltd**

*Quality and Service*

The company with the **RIGHT** connections at the **RIGHT** price.

Company Registration Number: 05062297

**W:** [www.termtech.co.uk](http://www.termtech.co.uk)

**T:** 01179 354 900

**E:** [sales@termtech.co.uk](mailto:sales@termtech.co.uk)

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,  
Bristol BS5 7UW

