Datasheet



PS12-2

Term Tech PS12 Push Fit Marker 4mm²-6mm²
Cable Black Text on White Background
Number: 2 (Pack of 300)

2

The Termination Technology range of push fit cable markers designed to provide an easy method of conveniently marking terminated cables, even in difficult to reach places. Supplied already on an applicator wand, the markers snap onto the cable and grips tightly without the risk of damaging the insulation. Each marker has small chevrons on each side, this helps the markers to sit correctly and maintains a readable orientation. Available in a full range of letters, numbers and sizes to fit different cable ranges.



The company with the RIGHT connections at the RIGHT price.

pim putting data first





W: www.termtech.co.uk
T: 01179 354 900
E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road, Bristol BS5 7UW

Datasheet



Technical Data

Colour and Material

Material Polyoxymethylene
Colour White

Application Type, Size and Range

Cable Size Range (mm²) 4 - 6

Dimensions

Internal Ø (mm) 4.5

Marker Height (mm) 5.2

Marker Width (mm) 3.5

Product Length (mm) 160

Electrical Ratings

Dielectric Strength (kV/mm) 20

Physical Attributes

Tensile Strength (Mpa) 45

Style Push on Marker

Product Text

Printed Text

Number 2

Text Colour

Black

Quantities and Packaging

Packaging Supplied on yellow applicator tool

Product Count 300

Temperature and Fire Information

The company with the RIGHT connections at the RIGHT price.

Continuous Operating Temperature (°C) -40 to +90

Flammability Testing HB UL94 Flame resistance



W: www.termtech.co.uk
T: 01179 354 900
E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,
Bristol BS5 7UW

Company Registration Number: 05062297







Datasheet







The company with the RIGHT connections at the RIGHT price.





W: www.termtech.co.uk T: 01179 354 900

E: sales@termtech.co.uk