



PVC50X33WHT

Term Tech PVC Electrical Tape 50mm x 33m White



The Termination Technology range of premium PVC Electrical Tape with a rubber adhesive is available in a wide range of colours. Application is predominantly for electrical insulation although it can also be used to colour code and electrical cables wrapping in automotive applications. 0.13mm thickness with good resistance to abrasion, corrosion and moisture. Conforms to BS3924, EN60454 and UL510 certificated for Flammability. ROHS compliant. Storage recommended up to 2 years from date of despatch when stored at a moderate temperature and humidity environment. Also available in 19x33mm and 19x20mm sizes.



**Termination
Technology Ltd**

Quality and Service

The company with the **RIGHT** connections at the **RIGHT** price.

Company Registration Number: 05062297

W: www.termtech.co.uk

T: 01179 354 900

E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,
Bristol BS5 7UW





Technical Data

Colour and Material

Material	Polyvinyl Chloride (PVC)
Colour	White
Adhesive Material	Rubber

Dimensions

Product Length (m)	33
Product Thickness (mm)	0.13
Product Width (mm)	50

Electrical Ratings

Voltage Rating (kV)	7.5
---------------------	-----

Physical Attributes


Tensile Strength (N)	22
Maximum Elongation (%)	>180

Product Specification

Specification	BS3924, EN60454
Specific Approvals	ROHS
UKCA Approved	Yes

Temperature and Fire Information

Flammability Testing	UL510
----------------------	-------





UK CA



**Termination
Technology Ltd**

Quality and Service

The company with the **RIGHT** connections at the **RIGHT** price.

Company Registration Number: 05062297

W: www.termtech.co.uk

T: 01179 354 900

E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,
Bristol BS5 7UW

