## **Datasheet**



## **RUR37-HT**

Term Tech Un-Insulated Terminals Ring 0.5mm<sup>2</sup>-1.5mm<sup>2</sup> Cable High Temperature 3.7mm Hole (Bag of 100)



The Termination Technology range of uninsulated terminals are manufactured from copper sheet, allowing for larger hole size to conductor size comparatively. Perfect for use in higher temperature applications where insulated terminals would not be suitable. Standard terminals are tin plated, suitable up to  $+75^{\circ}$ C. High temperature versions are Nickel plated, suitable up to  $+250^{\circ}$ C.



Company Registration Number: 05062297

E: sales@termtech.co.uk
Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road,

W: www.termtech.co.uk

T: 01179 354 900

**Bristol BS5 7UW** 

The company with the RIGHT connections at the RIGHT price.





# **Datasheet**



## **Technical Data**

#### **Colour and Material**

Material Copper

**Plating Material** Nickel

Application Type, Size and Range

Cable Size Range (mm<sup>2</sup>) 0.5 - 1.5

**Number of Cables Accepted** 1

Suitable Cable Type **Copper Cores** 

**Dimensions** 

Ring Size (mm) 3.7

**Product Specification** 

Specification BS EN 61238-1 2003 & IEC 61238-2003

**Quantities and Packaging** 

**Packaging** Euroslot trade counter pack

100 **Product Count** 

Temperature and Fire Information

Max Operating Temperature (°C) 250



W: www.termtech.co.uk

E: sales@termtech.co.uk

T: 01179 354 900

The company with the RIGHT connections at the RIGHT price.

LUCKINSIIVE Platform Integration Partner

