Datasheet



TTMC4CABLEPAIR

Term Tech Pair of MC4 Y Branch Connector Leads 1x(M/F/F) and 1x(F/M/M) 4mm² 1000v **DC 30A IP68**



The Termination Technology range of solar connectors include straight and branch connectors in both MC3 and MC4 styles. MC4 are available in a premium and economy range. Straight connectors are supplied in complete packs with both male and female parts, branch MC3 connectors are also supplied as a complete pack whereas MC4 male and female branch connectors are sold separately.



T: 01179 354 900 E: sales@termtech.co.uk

W: www.termtech.co.uk

The company with the RIGHT connections at the RIGHT price.

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road, **Bristol BS5 7UW**







Datasheet



Technical Data

Colour and Material

Material Photo Phenylene Oxide (PPO)

Colour Black

Application Type, Size and Range

Cable Size (mm²) 4

IP68 **IP Rating**

Electrical Ratings

Max Current (A) 30

1000 Voltage Rating (V)

Extra Components

Additional Components Included Two leads per unit including one of each configuration

Physical Attributes

Style One Male to two Female and One Female to Two Male

Product Specification

Specific Approvals **TUV** Certified

Temperature and Fire Information

Continuous Operating Temperature (°C) -40 to +90

Flammability Testing UL94-V0



The company with the RIGHT connections at the RIGHT price.

W: www.termtech.co.uk T: 01179 354 900 E: sales@termtech.co.uk

Termination Technology Ltd, Unit 4C Crofts End Ind Estate, Crofts End Road, **Bristol BS5 7UW**

Company Registration Number: 05062297








Datasheet









The company with the RIGHT connections at the RIGHT price.

Epim





W: www.termtech.co.uk

T: 01179 354 900